To: Betenson, Matthew[mbetenso@blm.gov]

Cc: Romasko, Theresa[tromasko@blm.gov]; Sean Stewart[s2stewar@blm.gov]; William (Allan)

Bate[abate@blm.gov]; Jason Bybee[jmbybee@blm.gov]

From: Hughes, Amber

Sent: 2017-06-21T18:28:18-04:00

Importance: Normal

Subject: Re: Draft Statement of Work for Contracted Range NEPA

Received: 2017-06-21T18:28:28-04:00 SOW GSENM RangeProjects 2017 MB.docx

I provided some feedback, I'm not 100% sure on the entire plan so some of my comments may not really apply. If you have any questions feel free to give me a call.

Thanks, Amber

Amber L Hughes

Planning and Environmental Coordinator
Grand Staircase Escalante National Monument
Bureau of Land Management

PO Box 225 Escalante, UT 84726

435-826-5602 435-826-5650 fax

"Between stimulus and response there is a space. In that space is our power to choose our response. In our response lies our growth and freedom" - Viktor E Frankl

On Wed, Jun 21, 2017 at 12:56 PM, Betenson, Matthew <<u>mbetenso@blm.gov</u>> wrote:

We need to wrap up this review.

On Fri, Jun 9, 2017 at 10:33 AM, Romasko, Theresa < tromasko@blm.gov > wrote:

I have this drafted and now please help to make sure this is what we want. Notice it now says three EAs because Gaye thinks she found the money to do three. Sean we need to discuss budget on Monday and make sure. I'm still working on Appendix A which is the project detail. The document is attached. I also put it in the share drive and you can edit from there

Z:NEPA/CXsDNAsEAsandEISs/2017/RangeContractNEPA/SOW GSENM RangeProjects 2017

--

Theresa Romasko Assistant Field Manager Lakeview Resource Area Phone 541-947-6143 Cell 541-219-1159

Acting Assistant Manager Resources Grand Staircase Escalante National Monument Phone 435-644-1245


--

Matt Betenson

Associate Monument Manager

Grand Staircase-Escalante National Monument 669 South HWY 89A, Kanab, UT 84741 435-644-1205 435-644-1250 fax

NEPA Environmental Assessments Grand Staircase-Escalante (GSENM) Water Projects Statement of Work (SOW)



	(b)(5) DPP
1	

